

SAND DUNE





TruDefinition[®] Duration[®] Designer Colors Collection Shingles



2018 SHINGLE COLOR OF THE YEAR

SAND DUNE

THERE'S NOTHING LIKE THE RIGHT POPOF COLOR TO GIVE YOUR HOME THAT SIGNATURE STYLE

Create a sense of natural grandeur with this relaxed and versatile medley of coastal hues. Sand Dune combines elements of bisque beige and light sky blue with tones of driftwood, charcoal and shale to create a canvas of effortless elegance for today's exterior colors and styles. And TruDefinition[®] Duration[®] Designer Colors Collection shingles come with the advanced performance of patented SureNail[®] Technology—a technological breakthrough in roofing. So, sit back, relax and exhale—your Sand Dune roof can help you enjoy the view.







TRANSFORM YOUR HOME

SureNail[®] Technology

There's a line between a good shingle and a great shingle."

It's the nailing line on your shingles. The difference between a good shingle and a great shingle is having Patented SureNail® Technology, only from Owens Corning.



After Sand Dune

Outstanding Grip

The SureNail[®] strip enhances the already amazing grip of our proprietary Tru-Bond[®] sealant for exceptional wind resistance of a 130-MPH wind warranty.*

Breakthrough Design

Patented SureNail[®] Technology^{††} is the first and only reinforced nailing zone on the face of the shingle.

"No Guess" Wide Nailing Zone

This tough, engineered woven-fabric strip is embedded in the shingle to create an easy-to-see strong, durable fastener zone.

For more information and to watch our videos on SureNail® Technology, go to www.owenscorning.com/surenail.

Triple Layer Protection***

Before

A unique "triple layer" of reinforcement occurs when the fabric overlays the two shingle layers, called the common bond area.

SureNail

Double the Common Bond SureNail® features up to a 200% wider

common bond area in the nailing zone over standard shingles. **Excellent Adhesive Power**


Helps keep the shingle layers laminated.

TOTAL PROTECTION SIMPLIFIED



It takes more than just shingles to protect your home. It takes an integrated system of components and layers designed to withstand the forces of nature outside while controlling

temperature and humidity inside. The Owens Corning* Total Protection Roofing System** gives you the assurance that all of your Owens Corning roofing components are working together to help increase the performance of your roof - and to enhance the comfort and enjoyment of those who live beneath it.





OWENS CORNING ROOFING AND ASPHALT, LLC ONE OWENS CORNING PARKWAY TOLEDO, OHIO, USA 43659

1-800-GET-PINK*

www.owenscorning.com/roofing

Pub No. 10022501

Printed in U.S.A. October 2017, THE PINK PANTHER™ & © 1964-2017 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved. The color PINK is a registered trademark of Owens Corning. © 2017 Owens Corning. All Rights Reserved.

Owens Corning Roofing Preferred Contractors are independent contractors and are neither affiliates nor agents of Owens Corning Roofing and Asphalt, LLC, or its affiliated companies.

Product Attributes

Warranty Length*

Limited Lifetime[‡]

(for as long as you own your home)

Wind Resistance Limited Warranty*

130 MPH

Algae Resistance Limited Warranty*

10 Years

Tru PROtection Non-Prorated Limited Warranty* Period

10 Years

TruDefinition[®] Duration[®] Designer **Colors Collection Shingles**

Product Specifications

Nominal Size	13¼" x 39¾"	
Exposure	5 1/8"	
Shingles per Square	64	
Bundles per Square	3	
Coverage per Square	98.4 sq. ft.	

Applicable Standards and Codes

ASTM D228	
ASTM D3018 (Type 1)	
ASTM D3462	
ASTM D3161 (Class F Wind Resistance)	
ASTM D7158 (Class H Wind Resistance)	
ASTM E108/UL 790 (Class A Fire Resistance)	
Florida Product Approval	
ICC-ES AC438 [#]	
Miami-Dade County Product Approval [§]	
UL ER2453-01##	
UL ER2453-02##	

Owens Corning[®] Hip & Ridge Shingles

Owens Corning Hip & Ridge shingles are uniquely color matched to the TruDefinition Duration Designer Colors Collection Shingles. The multiple color blends are only available from Owens Corning Roofing and offer a finished look for the roof.





- See actual warranty for complete details, limitations and requirements.
- See actual warranty for complete details, imitations and requirements.
 Owens Corning strives to accurately reproduce photographs of shingles. Due to manufacturing variances, the limitations of the printing process and the variations in natural lighting, actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display or several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.
 The amount of Trinle yave Protection* may vary on a shingle basis. SuraNail* Technology is
- Tooling contractor for samples of colors available in your area.
 The mount of Triple Layer Protection" may vary on a shingle-to-shingle basis. SureNail" Technology is proprietary with U.S. and foreign protection including U.S. Patent Nos. 6,471,812; 7,836,654; 8,156,704; 8,181,413; 8,240,102; 8,430,983; 8,607,521; 8,623,164; 8,752,351; 8,991,130; 9,121,178; and other patents pending. SureNail" Technology is not a guarantee of performance in all weather conditions. SureNail" Technology is available only on Owens Corning Duration" Series Shingles.
- # 40-Year Limited Warranty on commercial projects.
- § Applies for all areas that recognize Miami-Dade Product Control Section.
- # International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.
- ## Underwriters Laboratories Evaluation Service Evaluation Report.
 - ^ Excludes non-Owens Corning* roofing products such as flashing, fasteners and wood decking.



Algae resistance available in areas shown in white